

Intellectual Property Department  
170 Wood Avenue South  
Iselin, New Jersey 08830  
Tel: 732-321-3023  
Fax: 732-321-3030  
Email: Alexander.burke@siemens.com

**SIEMENS**

RECEIVED  
CENTRAL FAX CENTER

JUN 22 2005

# Fax

|               |   |               |                    |
|---------------|---|---------------|--------------------|
| <b>To:</b>    | Examiner: Zachary A. Davis  | <b>From:</b>  | Alexander J. Burke |
| <b>Fax:</b>   | 703-872-9306  | <b>Pages:</b> | 18                 |
| <b>Phone:</b> | 571-272-3870  | <b>Date:</b>  | June 22, 2005      |
| <b>Re:</b>    | Application of: B. Royer<br>Serial No. 09/817,320<br>Art Unit: 2137 |               |                    |

IF YOU DO NOT RECEIVE ALL OF THIS TELEFAX IN GOOD ORDER,

PLEASE CALL: Christine Briscoe at 732-321-3018


Attached is the following:

Amendment 17 pages

For Application No.: 09/817,320  
Filing Date: March 26, 2001  
First Named Inventor: Zachary A. Davis  
Group Art Unit: 2137  
Attorney Docket: 2001P04781US

**CERTIFICATE OF TRANSMISSION UNDER 37 CFR 1.8**

I hereby certify that this correspondence is being facsimile transmitted to the U.S. Patent and Trademark Office

  
Alexander J. Burke  
Reg. No. 40,425

  
Date

Ser. No. 09/817,320

PATENT RESPONSE UNDER  
37 CFR 1.116 EXPEDITED PROCEDURE  
EXAMINING GROUP (2137)  
01P04781US

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants : B. Royer

RECEIVED  
CENTRAL FAX CENTER

Serial No. : 09/817,320

JUN 22 2005

Filed : March 26, 2001

For : A SYSTEM AND USER INTERFACE SUPPORTING URL  
PROCESSING AND CONCURRENT APPLICATION  
OPERATION

Examiner : Zachary A. Davis

Art Unit : 2137

**Amendment in Response to Final Rejection**Mail Stop Amendment  
Commissioner for Patents  
P. O. Box 1450  
Alexandria, VA 22313-1450

Sir:

In response to the Office Action dated 13 May, 2005, please amend the above identified application as follows.

Please charge any fee associated with this amendment to deposit account 19-2179.

In the Claims:

Amend claims 1, 12 and 13 as attached by deleting the material identified by a strikethrough marking and by adding the underscored material.